


FORD FIESTA

M.M.R. 	S 	D
1.550 kg.	75 kg.	6,94 kN



ELEMENTOS DE UNIÓN / CONNECTION COMPONENTS DAZUGEHÖRENDEN TEILEN / ÉLÉMENTS DE RACCORD		
BOLA / BALL / KUGEL / BOULE	VEHÍCULO / VEHICLE FAHRZEUG / VÉHICULE	
a 2 x M12x65 DIN 931	c 6 x M10x40 DIN 933	8,8
b 2 x M12 DIN 985	d 6 x M10 DIN 6798	-
	e 6 x M10 DIN 9021	-
a 4 x M12x25 DIN 933		8,8
b 4 x M12 DIN 127		-



Made by LAFUENTE
(SPAIN)
☎Tlf. (+34) 925 625 840
www.lafuente.eu

E9

SSR -01 2273

TIPO EE0519 D 6,94 kN

CLASE A-50X S 75 kg

Made by LAFUENTE
(SPAIN)
☎Tlf. (+34) 925 625 840
www.lafuente.eu

E9

SSR -01 2274

TIPO EE1519 D 6,94 kN

CLASE A-50X S 75 kg

Par de apriete para los tornillos/Tightening torque for bolts/Schrauben Drehmoment/Couple de serrage pour vis										
Und.Nm	M6	M8	M10	M12	M14	M16				
calibre	1	1,25	1,5	1,25	1,75	1,5	1,25	1,5	2	
peso	11,3	27,3	54,0	57,0	93,0	97,0	101,0	148,0	159,0	230,0
	10,9	16,5	40,1	79,0	83,0	137,0	143,0	218,0	234,0	320,0
	12,9	19,3	46,9	93,0	98,0	160,0	167,0	255,0	274,0	395,0

Este documento debe ser presentado en la I.T.V. junto con el certificado de montaje.
HNOS.SANCHEZ-LAFUENTE,S.A. no asume ningún tipo de responsabilidad por
daños causados por usos inadecuados.




FORD FIESTA



EE0519








EE1519





Instrucciones de montaje - Installation instructions - Notice de montage - Montage- og driftsvejledning

1








4



	M6	M8	M10	M12	M14	M16
8.8	10,4Nm	25,0Nm	51,0Nm	87,0Nm	140,0Nm	215,0Nm
10.9	15,5Nm	37,0Nm	75,0Nm	130,0Nm	205,0Nm	310,0Nm
12.9	18,0Nm	43,0Nm	87,0Nm	150,0Nm	240,0Nm	370,0Nm

5





	M6	M8	M10	M12	M14	M16
8.8	10,4Nm	25,0Nm	51,0Nm	87,0Nm	140,0Nm	215,0Nm
10.9	15,5Nm	37,0Nm	75,0Nm	130,0Nm	205,0Nm	310,0Nm
12.9	18,0Nm	43,0Nm	87,0Nm	150,0Nm	240,0Nm	370,0Nm

